

AmberClean™ 203

High Purity, Waterless Cleaner

Description

AmberClean 203 is a high purity waterless cleaner formulated to replace highly flammable solvents in critical cleaning applications. AmberClean 203 has a low surface tension that facilitates the removal of process fluids, residues and other contaminants associated with electronic components such as printed circuit boards. AmberClean 203 is not flammable, but can be dried from parts using clean dry air, nitrogen or other inert gases. AmberClean 203 can be used in wipe, immersion with or without agitation, ultrasonic or spray applications.

Features and Benefits

- Low surface tension of 30 dynes /cm
- Will not etch Al, Ni, and Fe alloys, manganese, copper or cobalt
- Cleans combinations of process fluids and their residues effectively
- Contains no water for critical GMR requirements.
- Will not corrode metal surfaces
- Contains no corrosive anions, such as chloride, sulfate or fluoride
- Biodegradable and poses no environmental or health risks
- Will not leave films or residues

Typical Physical Properties

Appearance	Clear, amber liquid
Specific gravity @20°C	1.03
LBS/gallon	8.64
pH	Not applicable
Surface Tension	30 dynes/ cm ²
Flash point	139 °F

Recommended Process Parameters

AmberClean 203 should be used concentrated and should not be heated above its flash point.

Availability

55 gallon drums, 5 gallon pails, 1 gallon containers.

Innovative Organics believes that the data contained herein is factual and the opinions expressed are those of qualified experts. The data should not be taken as a warranty or representation for which Innovative Organics assumes legal responsibility. Rather it is offered solely for the consideration, investigation and verification of the user. Any use of this information and data must be determined by the user in accordance with federal, state and local laws and regulations.



Phone: 714-701-3900

Fax: 714-701-3912

www.innovativeorganics.com

4905 East Hunter Avenue

Anaheim, CA 92807

ISO 9001-2000 Certified

7/04